

Contents

| | |
|--------------------------------------------------------------------------|--------------|
| Foreword | xxiii |
| Preface | xxvii |
| 1 IPv6 Rationale and Features | 1 |
| 1.1 Internet Growth | 1 |
| 1.1.1 IPv4 Addressing | 1 |
| 1.1.2 IPv4 Address Space Utilization | 3 |
| 1.1.3 Network Address Translation | 5 |
| 1.1.4 HTTP Version 1.1 Virtual Hosting | 7 |
| 1.1.5 Variable Length Subnet Mask | 7 |
| 1.1.6 Classless IPv4 | 8 |
| 1.1.7 Provider-based Assignment and Aggregation of IPv4 Network Prefixes | 8 |
| 1.1.8 Constrained Allocation Policy of IPv4 Addresses | 9 |
| 1.1.9 Global Routing | 9 |
| 1.1.10 Summary of Internet Growth | 9 |
| 1.2 Real Issues and Trouble with IPv4 | 10 |
| 1.2.1 Deploying Voice over IP | 10 |
| 1.2.2 Deploying IP Security | 13 |
| 1.2.3 Deploying Application Security | 13 |
| 1.2.4 Videoconferencing | 14 |
| 1.2.5 A Simple Web Server at Home | 15 |
| 1.2.6 Using Remote Procedure Calls | 15 |
| 1.2.7 Remote Management of Applications and Servers | 16 |
| 1.2.8 VPN Between Same Address Space | 16 |
| 1.2.9 Deploying Services in the Home Network | 17 |
| 1.2.10 Merging or Connecting Two Networks Together | 18 |
| 1.2.11 Large Networks | 18 |
| 1.2.12 Address Plans and Secondary Addresses | 18 |
| 1.2.13 Provider VPN Address Collisions | 19 |
| 1.2.14 Should IP Addresses be Free? | 20 |
| 1.2.15 Summary | 20 |
| 1.3 Architectural Considerations | 20 |
| 1.3.1 Network Address Translator Variations | 25 |
| 1.4 Paradigm Shift | 26 |
| 1.5 IETF Work Towards IPv6 | 27 |

| | | |
|----------|---------------------------------------------------|-----------|
| 1.6 | IPv6 Main Features | 30 |
| 1.7 | IPv6 Milestones | 32 |
| 1.8 | IPv6 Return on Investment | 32 |
| 1.9 | What Happened to IPv5? | 33 |
| 1.10 | Summary | 34 |
| 1.11 | References | 34 |
| 2 | I Can't Wait to Get my Hands Dirty! | 37 |
| 2.1 | Setup Description | 37 |
| 2.2 | Steps | 38 |
| 2.2.1 | Enabling IPv6 on N2 and N3 | 38 |
| 2.2.2 | Two Nodes Talking Already! | 40 |
| 2.2.3 | Installing and Configuring the TSP Client on N2 | 40 |
| 2.2.4 | Creating an IPv6 in IPv4 Tunnel with Freenet6 | 41 |
| 2.2.5 | Testing IPv6 on N2 | 41 |
| 2.2.6 | Requesting an IPv6 Prefix Delegation | 41 |
| 2.3 | Summary | 42 |
| 2.4 | References | 42 |
| 2.5 | Further Reading | 42 |
| 3 | IPv6 Datagram | 43 |
| 3.1 | Description of the IP Datagram | 43 |
| 3.2 | IPv4 Header | 44 |
| 3.3 | IPv6 Header | 46 |
| 3.4 | Header Fields | 47 |
| 3.4.1 | Version | 47 |
| 3.4.2 | Traffic Class | 48 |
| 3.4.3 | Flow Label | 49 |
| 3.4.4 | Payload Length | 49 |
| 3.4.5 | Hop Limit | 49 |
| 3.4.6 | Next Header | 49 |
| 3.5 | Extension Headers | 50 |
| 3.5.1 | Hop-by-Hop Option | 51 |
| 3.5.2 | Routing | 52 |
| 3.5.3 | Fragment | 52 |
| 3.5.4 | Destination Options | 52 |
| 3.5.5 | Authentication and Encapsulating Security Payload | 52 |
| 3.5.6 | No Next Header | 52 |
| 3.5.7 | Order of the Extension Headers | 53 |
| 3.6 | Datagram Size | 53 |
| 3.6.1 | Maximum Transmission Unit | 54 |
| 3.6.2 | Path MTU Discovery | 54 |
| 3.6.3 | Fragmentation | 55 |
| 3.6.4 | Jumbogram | 56 |
| 3.6.5 | Header Compression | 57 |
| 3.7 | Upper-layer Protocols | 58 |
| 3.7.1 | Checksum | 58 |
| 3.7.2 | Implications in Application Protocols | 59 |
| 3.8 | Summary | 59 |
| 3.9 | References | 59 |

| | | |
|----------|-----------------------------------------------------------------------|-----------|
| 4 | Addressing | 61 |
| 4.1 | Address Space | 61 |
| 4.2 | Format of an Address | 62 |
| 4.2.1 | Text Representation of Addresses | 62 |
| 4.2.2 | Text Representation of Prefixes | 63 |
| 4.2.3 | Addresses in URL | 63 |
| 4.3 | Unicast Addresses | 64 |
| 4.3.1 | Global Unicast Addresses | 64 |
| 4.3.2 | Scoped Addresses | 66 |
| 4.3.3 | Protocol Use Addresses | 69 |
| 4.3.4 | Unspecified Address | 70 |
| 4.3.5 | Loopback Address | 71 |
| 4.4 | Multicast Addressing | 71 |
| 4.5 | Anycast | 74 |
| 4.6 | Addressing Architecture | 74 |
| 4.7 | Summary | 76 |
| 4.8 | References | 77 |
| 4.9 | Further Reading | 77 |
| | | |
| 5 | Configuring Node Addresses | 79 |
| 5.1 | Static Address Configuration | 79 |
| 5.2 | Address Auto-Configuration | 79 |
| 5.2.1 | Interface Identifier | 80 |
| 5.2.2 | Router Advertisements and Solicitations | 81 |
| 5.3 | Lifetime of Advertised Prefixes | 84 |
| 5.4 | Node Booting Process | 87 |
| 5.5 | DHCPv6 | 88 |
| 5.5.1 | Basic Behavior | 88 |
| 5.5.2 | Initial Exchange | 89 |
| 5.5.3 | Data Exchange | 90 |
| 5.5.4 | DHCPv6 Prefix Delegation | 92 |
| 5.5.5 | Differences Between DHCPv4 and DHCPv6 | 92 |
| 5.5.6 | Dual Stack DHCP Clients | 93 |
| 5.5.7 | Renumbering with DHCP | 93 |
| 5.6 | Node Addresses | 93 |
| 5.7 | Configuring Interfaces and Router Advertisements on Hosts and Routers | 93 |
| 5.7.1 | Network Example | 94 |
| 5.7.2 | FreeBSD | 94 |
| 5.7.3 | Linux | 96 |
| 5.7.4 | Solaris | 98 |
| 5.7.5 | Windows | 99 |
| 5.7.6 | Cisco | 101 |
| 5.7.7 | Hexago | 104 |
| 5.7.8 | Juniper | 105 |
| 5.7.9 | Debugging Autoconfiguration and Router Advertisements | 107 |
| 5.8 | Summary | 107 |
| 5.9 | Appendix | 108 |
| 5.9.1 | Router Advertisement and Solicitation Message Formats | 108 |
| 5.9.2 | DHCP Variables, Addresses and Ports | 109 |
| 5.10 | References | 111 |

| | | |
|----------|-------------------------------------------------|------------|
| 6 | Link-layer Integration | 113 |
| 6.1 | Solicited-Node Multicast Address | 113 |
| 6.2 | Neighbor Solicitation and Advertisement | 115 |
| 6.2.1 | IPv4 Address Resolution Protocol | 115 |
| 6.2.2 | IPv6 Differences | 115 |
| 6.2.3 | Neighbor Solicitation Process | 116 |
| 6.3 | Duplicate Address Detection | 117 |
| 6.4 | Neighbor Cache | 117 |
| 6.4.1 | Neighbor Unreachability Detection | 118 |
| 6.5 | EUI-64 and Neighbor Discovery | 118 |
| 6.6 | IPv6 over Ethernet | 119 |
| 6.6.1 | Frame Identifier | 119 |
| 6.6.2 | Multicast | 119 |
| 6.6.3 | Ethernet MTU | 121 |
| 6.7 | Point-to-Point Links | 122 |
| 6.8 | Multi-link Subnets | 124 |
| 6.9 | Router Advertisements of the Link MTU | 125 |
| 6.10 | Managing Neighbors on Hosts and Routers | 125 |
| 6.10.1 | FreeBSD | 126 |
| 6.10.2 | Linux | 126 |
| 6.10.3 | Solaris | 127 |
| 6.10.4 | Windows | 128 |
| 6.10.5 | Cisco | 128 |
| 6.10.6 | Hexago | 129 |
| 6.10.7 | Juniper | 129 |
| 6.11 | Summary | 129 |
| 6.12 | References | 129 |
| 6.13 | Further Reading | 130 |
| 7 | Internet Control Message Protocol | 131 |
| 7.1 | ICMP | 131 |
| 7.1.1 | Error Messages | 132 |
| 7.1.2 | Informational Messages | 135 |
| 7.2 | Neighbor Discovery | 136 |
| 7.3 | Hop Limit Set to 255 | 136 |
| 7.4 | Managing ICMP on Hosts and Routers | 136 |
| 7.4.1 | FreeBSD | 136 |
| 7.4.2 | Linux | 137 |
| 7.4.3 | Solaris | 137 |
| 7.4.4 | Windows | 137 |
| 7.4.5 | Cisco | 137 |
| 7.4.6 | Hexago | 138 |
| 7.4.7 | Juniper | 138 |
| 7.5 | Summary | 138 |
| 7.6 | References | 138 |
| 8 | Naming with DNS and Selecting an Address | 139 |
| 8.1 | Hostname To IPv6 Address with the AAAA Record | 139 |
| 8.2 | IPv6 Address To Hostname | 140 |
| 8.3 | Transport | 141 |
| 8.4 | DNS Server Discovery | 143 |

| | | |
|-----------|-----------------------------------------------------------------|------------|
| 8.5 | Node Information Query | 143 |
| 8.6 | IP Address Selection | 143 |
| 8.7 | Configuring DNS and Address Selection on Hosts and Routers | 144 |
| 8.7.1 | Configuring a Unix Client | 144 |
| 8.7.2 | Configuring BIND | 144 |
| 8.7.3 | Troubleshooting with Dig | 146 |
| 8.7.4 | FreeBSD | 146 |
| 8.7.5 | Linux | 146 |
| 8.7.6 | Solaris | 146 |
| 8.7.7 | Windows | 146 |
| 8.7.8 | Cisco | 147 |
| 8.7.9 | Hexago | 147 |
| 8.7.10 | Juniper | 148 |
| 8.8 | Summary | 148 |
| 8.9 | References | 148 |
| 8.10 | Further Reading | 149 |
| 9 | Routing | 151 |
| 9.1 | Required Router Addresses | 151 |
| 9.2 | Source Routing with the Routing Header | 151 |
| 9.3 | Route Redirect | 154 |
| 9.4 | Static Routes | 155 |
| 9.5 | RIP | 155 |
| 9.5.1 | Changes | 156 |
| 9.6 | OSPF | 157 |
| 9.6.1 | Changes | 157 |
| 9.6.2 | Router ID | 157 |
| 9.6.3 | Link-State Database | 157 |
| 9.7 | IS-IS | 158 |
| 9.7.1 | Changes | 158 |
| 9.7.2 | Multi-topology | 159 |
| 9.8 | BGP | 159 |
| 9.8.1 | Changes | 159 |
| 9.8.2 | Router ID | 160 |
| 9.8.3 | Link-local Addresses for Peering | 160 |
| 9.8.4 | Site Scoped Prefixes in Routes | 160 |
| 9.9 | Tunneling IPv6 | 160 |
| 9.10 | Renumbering Routers | 162 |
| 9.11 | Internet Routing | 163 |
| 9.12 | Multihoming | 166 |
| 9.12.1 | Provider Independent Address Space | 166 |
| 9.12.2 | Multiple Prefixes | 167 |
| 9.12.3 | Cross-tunnels at Site Exit Routers | 168 |
| 9.12.4 | Propagation using Router Renumbering and Advertisements | 168 |
| 9.12.5 | Multihoming Work Progress | 170 |
| 9.13 | Summary | 171 |
| 9.14 | References | 171 |
| 10 | Configuring Routing | 173 |
| 10.1 | Considerations on Using Autoconfiguration for Router Interfaces | 173 |
| 10.2 | FreeBSD | 174 |

| | | |
|-----------|--------------------------|------------|
| 10.2.1 | Forwarding | 174 |
| 10.2.2 | Static Routes | 174 |
| 10.2.3 | Route Redirect | 175 |
| 10.2.4 | RIP | 175 |
| 10.2.5 | Troubleshooting | 176 |
| 10.3 | Linux | 176 |
| 10.3.1 | Forwarding | 176 |
| 10.3.2 | Static Routes | 176 |
| 10.3.3 | Route Redirect | 177 |
| 10.3.4 | Troubleshooting | 177 |
| 10.4 | Solaris | 177 |
| 10.4.1 | Static Routes | 177 |
| 10.4.2 | Troubleshooting | 177 |
| 10.5 | Windows | 178 |
| 10.5.1 | Forwarding | 178 |
| 10.5.2 | Static Routes | 178 |
| 10.5.3 | Troubleshooting | 178 |
| 10.6 | Cisco | 179 |
| 10.6.1 | IPv6 Forwarding | 179 |
| 10.6.2 | Cisco Express Forwarding | 179 |
| 10.6.3 | Prefix Lists | 180 |
| 10.6.4 | Static Routes | 180 |
| 10.6.5 | Route Redirect | 180 |
| 10.6.6 | RIP | 180 |
| 10.6.7 | OSPF | 181 |
| 10.6.8 | IS-IS | 182 |
| 10.6.9 | BGP | 183 |
| 10.6.10 | Troubleshooting | 184 |
| 10.7 | Hexago | 184 |
| 10.8 | Juniper | 184 |
| 10.8.1 | Martian Routes | 185 |
| 10.8.2 | Router ID | 185 |
| 10.8.3 | Static Routes | 185 |
| 10.8.4 | RIP | 186 |
| 10.8.5 | OSPF | 186 |
| 10.8.6 | IS-IS | 187 |
| 10.8.7 | BGP | 188 |
| 10.8.8 | Troubleshooting | 190 |
| 10.9 | Zebra | 190 |
| 10.9.1 | Static Routes | 191 |
| 10.9.2 | RIP | 191 |
| 10.9.3 | OSPF | 191 |
| 10.9.4 | BGP | 192 |
| 10.9.5 | Troubleshooting | 193 |
| 10.10 | Summary | 193 |
| 10.11 | Further Reading | 193 |
| 11 | Mobility | 195 |
| 11.1 | Overview | 196 |
| 11.1.1 | MobileIP Terminology | 197 |
| 11.1.2 | Basic MobileIP Process | 197 |

| | | |
|-----------|-------------------------------------------------------|------------|
| 11.1.3 | Triangle Routing | 198 |
| 11.1.4 | Route Optimization | 200 |
| 11.1.5 | Handoff | 200 |
| 11.2 | MobileIP | 202 |
| 11.3 | Applications are not Aware of Mobility | 202 |
| 11.4 | Mobile Node is at Home | 202 |
| 11.5 | Mobile Node is away from Home | 203 |
| 11.5.1 | Mobile Node Registering to the Home Agent | 204 |
| 11.5.2 | Mobile Node Registering to the Correspondent Nodes | 204 |
| 11.5.3 | Mobile Node Sending Packets | 204 |
| 11.5.4 | Correspondent Node Sending Packets to the Mobile Node | 205 |
| 11.6 | Mobile Node is Moving Again | 206 |
| 11.7 | Mobile Node Comes Back Home | 207 |
| 11.8 | Securing the Binding Update | 207 |
| 11.8.1 | Security Association with Home Agent | 207 |
| 11.8.2 | Return Routability Procedure with Correspondent Nodes | 207 |
| 11.9 | Correspondent Node is Not MobileIP Aware | 209 |
| 11.9.1 | Mobile Node Registering to the Correspondent Node | 210 |
| 11.9.2 | Mobile Node Sending Packets | 210 |
| 11.9.3 | Correspondent Node Sending Packets to the Mobile Node | 211 |
| 11.10 | Advanced Features | 212 |
| 11.10.1 | Fast Handoff | 212 |
| 11.10.2 | Home Agent is Not Reachable | 213 |
| 11.10.3 | Mobile Networks | 214 |
| 11.11 | MobileIP Messaging | 215 |
| 11.11.1 | Mobility Extension Header | 215 |
| 11.11.2 | Home Address Destination Option Extension Header | 215 |
| 11.11.3 | Type 2 Routing Header | 215 |
| 11.11.4 | ICMP Messages | 215 |
| 11.11.5 | Neighbor Discovery | 217 |
| 11.12 | Deployment Considerations | 218 |
| 11.12.1 | Enterprise Network with Mobile Nodes on Most Links | 218 |
| 11.12.2 | Security Considerations | 219 |
| 11.12.3 | IP Version Centric | 219 |
| 11.12.4 | Ubiquitous IP | 219 |
| 11.13 | Configuring Mobility | 219 |
| 11.13.1 | FreeBSD | 219 |
| 11.13.2 | Linux | 221 |
| 11.13.3 | Solaris | 222 |
| 11.13.4 | Windows | 222 |
| 11.13.5 | Hexago | 222 |
| 11.14 | Summary | 223 |
| 11.15 | References | 223 |
| 12 | Wireless IP | 225 |
| 12.1 | Characteristics of Wireless Links | 225 |
| 12.2 | Header Compression over Limited Bandwidth Link Layers | 226 |
| 12.3 | TCP Behavior over Wireless | 228 |
| 12.4 | 3GPP | 229 |
| 12.5 | 3GPP2 | 231 |
| 12.6 | Summary | 231 |

| | | |
|-----------|-----------------------------------------------|------------|
| 12.7 | References | 231 |
| 12.8 | Further Reading | 232 |
| 13 | Security | 233 |
| 13.1 | IP Security (IPsec) | 234 |
| 13.1.1 | IPsec Transport and Tunnel Modes | 234 |
| 13.1.2 | Establishing a Security Association | 235 |
| 13.1.3 | AH Header | 235 |
| 13.1.4 | ESP Header | 239 |
| 13.1.5 | IPsec and IPv4 NAT | 241 |
| 13.1.6 | IPsec and IPv6 | 243 |
| 13.2 | Secure Shell (SSH) | 243 |
| 13.3 | Filtering and Firewalls | 244 |
| 13.3.1 | ICMP Filtering | 244 |
| 13.3.2 | MobileIPv6 | 244 |
| 13.3.3 | Network Address/Port Translation | 244 |
| 13.4 | Temporary Addresses | 244 |
| 13.5 | More Secure Protocols | 245 |
| 13.6 | Securing IPv6 on the Link | 245 |
| 13.6.1 | Threats and Trust Models for IPv6 on the Link | 246 |
| 13.6.2 | Secure Neighbor Discovery | 246 |
| 13.7 | Is IPv6 More Secure? | 248 |
| 13.8 | Configuring Security on Hosts and Routers | 248 |
| 13.8.1 | FreeBSD | 248 |
| 13.8.2 | Windows | 250 |
| 13.8.3 | Cisco | 250 |
| 13.8.4 | Juniper | 251 |
| 13.9 | Summary | 253 |
| 13.10 | References | 253 |
| 14 | Quality of Service | 255 |
| 14.1 | IPv5: Streaming Protocol | 255 |
| 14.2 | Diffserv | 256 |
| 14.3 | Integrated Services | 256 |
| 14.3.1 | RSVP | 257 |
| 14.3.2 | Flow Label | 259 |
| 14.4 | Network Address Translation | 260 |
| 14.5 | Hardware processing | 260 |
| 14.6 | Configuring QoS on Hosts and Routers | 261 |
| 14.6.1 | FreeBSD | 261 |
| 14.6.2 | Linux | 262 |
| 14.6.3 | Solaris | 262 |
| 14.6.4 | Cisco | 262 |
| 14.7 | Summary | 262 |
| 14.8 | References | 262 |
| 15 | Multicast and Anycast | 265 |
| 15.1 | Multicast Basics | 265 |
| 15.2 | Multicast Listener Discovery | 267 |
| 15.2.1 | Node Joining a Multicast Group | 267 |
| 15.2.2 | Node Leaving a Multicast Group | 268 |

| | | |
|-----------|-----------------------------------------------------------|------------|
| 15.2.3 | Router Verifying Group Membership | 268 |
| 15.2.4 | Electing a Router | 269 |
| 15.2.5 | Multicast Listener Discovery Version 2 | 269 |
| 15.3 | Multicast Routing | 270 |
| 15.4 | Multicast Address Allocation | 270 |
| 15.5 | Unicast-based Multicast Addressing | 271 |
| 15.6 | Allocation of Multicast Addresses | 271 |
| 15.7 | Multicast Reserved Addresses | 272 |
| 15.8 | Anycast | 273 |
| 15.9 | Configuring Anycast and Multicast on Hosts and Routers | 275 |
| 15.9.1 | FreeBSD | 275 |
| 15.9.2 | Linux | 275 |
| 15.9.3 | Solaris | 275 |
| 15.10 | Summary | 275 |
| 15.11 | References | 275 |
| 16 | Deploying IPv6 in IPv4 Dominant Networks | 277 |
| 16.1 | Combined IPv4 and IPv6 Network | 277 |
| 16.2 | Tunneling IPv6 in IPv4 | 278 |
| 16.2.1 | Encapsulation | 278 |
| 16.2.2 | Host to Router Encapsulation | 279 |
| 16.2.3 | Router to Router Encapsulation | 280 |
| 16.2.4 | Static Tunneling | 281 |
| 16.2.5 | 6to4 | 283 |
| 16.2.6 | ISATAP | 290 |
| 16.2.7 | IPv6 in IPv4 Tunneling Considerations | 294 |
| 16.2.8 | Encapsulating IPv6 in UDP IPv4 | 300 |
| 16.2.9 | Tunnel Setup Protocol (TSP) Tunnel Broker | 301 |
| 16.2.10 | Teredo | 317 |
| 16.3 | Tunneling IPv6 in GRE-IPv4 | 325 |
| 16.3.1 | Requirements | 326 |
| 16.3.2 | Limitations | 326 |
| 16.3.3 | Applicability | 326 |
| 16.4 | Comparing IPv6 in IPv4 Solutions | 326 |
| 16.5 | Configuring IPv6 in IPv4 Dominant Networks | 326 |
| 16.5.1 | Examples | 326 |
| 16.5.2 | FreeBSD | 329 |
| 16.5.3 | Linux | 330 |
| 16.5.4 | Solaris | 331 |
| 16.5.5 | Windows | 333 |
| 16.5.6 | Cisco | 335 |
| 16.5.7 | Hexago | 336 |
| 16.5.8 | Juniper | 342 |
| 16.6 | Summary | 343 |
| 16.7 | References | 343 |
| 17 | Deploying IPv6 Dominant Networks with IPv4 Support | 345 |
| 17.1 | Tunneling IPv4 in IPv6 | 345 |
| 17.1.1 | IPv4 in IPv6 Encapsulation | 345 |
| 17.1.2 | IPv4 in IPv6 Static Tunnels | 345 |

| | | |
|-----------|-----------------------------------------------------------|------------|
| 17.1.3 | DSTM with DHCPv6 | 347 |
| 17.1.4 | TSP Tunnel Broker | 348 |
| 17.2 | IP Packet and Transport Translation | 350 |
| 17.3 | Configuring IPv4 in IPv6 Dominant Networks | 351 |
| 17.3.1 | FreeBSD | 351 |
| 17.3.2 | Solaris | 352 |
| 17.3.3 | Cisco | 353 |
| 17.3.4 | Hexago | 353 |
| 17.3.5 | Juniper | 354 |
| 17.4 | Summary | 355 |
| 17.5 | References | 355 |
| 18 | Migrating with Application Level Gateways | 357 |
| 18.1 | Application Level Gateway | 357 |
| 18.2 | Application Specific Proxy | 358 |
| 18.3 | Considerations of Application Level Gateways | 358 |
| 18.4 | Summary | 358 |
| 19 | Transport Protocols | 359 |
| 19.1 | Checksum | 359 |
| 19.2 | Transmission Control Protocol (TCP) | 360 |
| 19.2.1 | Explicit Congestion Notification (ECN) | 360 |
| 19.3 | User Datagram Protocol (UDP) | 362 |
| 19.4 | Internet Control Message Protocol (ICMP) | 363 |
| 19.5 | Summary | 363 |
| 19.6 | References | 363 |
| 20 | Network Management | 365 |
| 20.1 | SNMP Transport | 365 |
| 20.2 | Management Information Base (MIB) | 366 |
| 20.3 | Other Management Tools | 367 |
| 20.4 | Authentication, Authorization and Accounting using RADIUS | 367 |
| 20.5 | Configuring SNMP on Hosts and Routers | 368 |
| 20.5.1 | Cisco | 368 |
| 20.5.2 | Hexago | 368 |
| 20.5.3 | Juniper | 368 |
| 20.6 | Summary | 369 |
| 20.7 | References | 369 |
| 21 | Porting Applications | 371 |
| 21.1 | Introduction | 371 |
| 21.2 | Considerations | 371 |
| 21.2.1 | IP Protocol Version Independence | 372 |
| 21.2.2 | Multiple Addresses | 372 |
| 21.2.3 | Scoped Addresses | 372 |
| 21.2.4 | Address Memory Space | 372 |
| 21.2.5 | URL and Text Representation of IP Addresses | 372 |
| 21.3 | Structures | 373 |
| 21.3.1 | <code>struct addrinfo</code> | 373 |
| 21.3.2 | <code>struct sockaddr_in6</code> | 374 |

| | | |
|-----------|---------------------------------------------------------------------|------------|
| 21.3.3 | Struct <code>sockaddr_storage</code> | 374 |
| 21.3.4 | Definitions | 374 |
| 21.4 | Functions | 375 |
| 21.4.1 | Getaddrinfo | 375 |
| 21.4.2 | Getnameinfo | 375 |
| 21.4.3 | Macros | 376 |
| 21.5 | Change Table | 376 |
| 21.6 | Best Practice | 377 |
| 21.7 | Basic Example | 377 |
| 21.8 | Summary | 380 |
| 21.9 | References | 380 |
| 21.10 | Further Reading | 380 |
| 22 | Configuration and Usage of IPv6-enabled Open Source Software | 381 |
| 22.1 | Apache Web Server | 381 |
| 22.2 | Sendmail | 382 |
| 22.3 | Postfix | 382 |
| 22.4 | SSH | 383 |
| 22.5 | XFree86 | 383 |
| 22.6 | MRTG | 383 |
| 22.7 | Dovecot | 384 |
| 22.8 | Summary | 384 |
| 22.9 | References | 384 |
| 23 | Best Current Practices and Case Studies | 385 |
| 23.1 | IPv6 Internet Address Space | 385 |
| 23.2 | IPv6 Address Policy | 385 |
| 23.3 | IPv6 Address Planning | 387 |
| 23.3.1 | Optimal Address Plans | 387 |
| 23.3.2 | Numbering Links | 388 |
| 23.3.3 | EUI-64 Considerations | 388 |
| 23.3.4 | Use of Unique Local Address Space | 389 |
| 23.4 | Incremental Deployment | 389 |
| 23.5 | DNS Considerations | 390 |
| 23.5.1 | Publishing the AAAA Record | 390 |
| 23.5.2 | Publishing Special IPv6 Addresses | 390 |
| 23.5.3 | TTL Use | 391 |
| 23.6 | Routing Considerations | 391 |
| 23.6.1 | Topologies | 391 |
| 23.6.2 | Policies | 391 |
| 23.7 | Security Considerations | 391 |
| 23.7.1 | End-to-End-Model | 391 |
| 23.7.2 | Policies | 392 |
| 23.7.3 | Transition Mechanisms | 393 |
| 23.7.4 | Special Addresses | 393 |
| 23.8 | Mail Considerations | 393 |
| 23.9 | Deploying IPv6 and Connecting to the IPv6 Internet | 393 |
| 23.9.1 | Connecting a Single Node | 393 |
| 23.9.2 | Connecting a Mobile Node | 394 |
| 23.9.3 | Connecting a Home Network | 394 |
| 23.9.4 | Connecting a Small Network | 394 |

| | | |
|-----------|----------------------------------|------------|
| 23.9.5 | Enterprise and Military Networks | 404 |
| 23.9.6 | Provider Networks | 406 |
| 23.9.7 | Mobile Networks | 406 |
| 23.9.8 | IPv6-only Networks | 406 |
| 23.10 | Summary | 407 |
| 23.11 | References | 407 |
| 23.12 | Further Reading | 407 |
| 24 | Conclusion | 409 |
| 25 | Quick Reference | 411 |
| | Index | 413 |